

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,369,535 B2
APPLICATION NO. : 09/878572
DATED : May 6, 2008
INVENTOR(S) : James D. O'Brien et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete the title page and substitute therefore the attached title page consisting of a corrected illustrative figure.

IN THE DRAWINGS:

Delete Fig. 1 and replace with the attached Fig. 1.

Signed and Sealed this
Twenty-seventh Day of September, 2011

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, flowing style with a large initial "D" and a stylized "K".

David J. Kappos
Director of the United States Patent and Trademark Office

(12) **United States Patent**
O'Brien, Jr. et al.

(10) **Patent No.:** **US 7,369,535 B2**
 (45) **Date of Patent:** **May 6, 2008**

(54) **VOICE OVER INTERNET PROTOCOL REAL TIME PROTOCOL ROUTING**

(75) Inventors: **James D. O'Brien, Jr.**, Somerville, MA (US); **Elliot Eichen**, Arlington, MA (US)

(73) Assignee: **Level 3 Communications, LLC**, Broomfield, CO (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 902 days.

(21) Appl. No.: **09/878,572**

(22) Filed: **Jun. 11, 2001**

(65) **Prior Publication Data**
 US 2002/0186685 A1 Dec. 12, 2002

(51) **Int. Cl.**
H04L 12/66 (2006.01)
H04L 12/28 (2006.01)
 (52) **U.S. Cl.** **370/352; 370/410**
 (58) **Field of Classification Search** **370/352, 370/392, 401, 410, 356**

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,360,265 B1 * 3/2002 Falck et al. 709/227
 6,480,898 B1 * 11/2002 Scott et al. 709/238
 6,510,509 B1 * 1/2003 Chopra et al. 712/13
 6,577,648 B1 * 6/2003 Raisanen et al. 370/503
 6,614,781 B1 * 9/2003 Elliott et al. 370/352

6,674,758 B2 * 1/2004 Watson 370/401
 6,687,245 B2 * 2/2004 Fangman et al. 370/401
 6,718,359 B2 * 4/2004 Zisapel et al. 718/105
 6,757,294 B1 * 6/2004 Maruyama 370/432
 6,766,377 B1 * 7/2004 Grabelsky et al. 709/238
 6,798,751 B1 * 9/2004 Voit et al. 370/252
 6,822,957 B1 * 11/2004 Schuster et al. 370/401
 6,829,250 B2 * 12/2004 Voit et al. 370/401
 6,922,786 B1 * 7/2005 Ong 709/204
 6,965,562 B2 * 11/2005 Tuomi 370/230
 6,973,042 B1 * 12/2005 Fitzgerald 370/249
 7,047,561 B1 * 5/2006 Lee 726/12

OTHER PUBLICATIONS

"Telica—Accelerating the Deployment of VoIP and VoATM," Web ProForum Tutorials, <http://www.iec.org>, The International Engineering Consortium, (no date available), pp. 1-21.

"Radivision—Gatekeeper," Web ProForum Tutorials, <http://www.iec.org>, The International Engineering Consortium, (no date available), pp. 1-15.

* cited by examiner


Primary Examiner—Andrew C. Lee

(74) Attorney, Agent, or Firm—Hensley Kim & Holzer, LLC

(57) **ABSTRACT**

A method for call signaling and media flow in a network including receiving call signaling information from an originating Voice over Internet Protocol (VoIP) endpoint, relaying the call signaling information to a destination VoIP endpoint, directing the originating VoIP endpoint to use a RTP media proxy and receiving a stream of media to the RTP media proxy from the originating VoIP endpoint.

19 Claims, 2 Drawing Sheets






FIG. 1